

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 17.05.2023

Version No: 1.00

Revision: 17.05.2023

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Product name:** Fluonox<sup>®</sup> Cure Incorporated Copolymer - V

**Trade Name:** KB2252, KB2253, KB2255, KB2402, KB2452, KB2453, KB2257, KB2203, KB2403

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Application of the substance / the preparation:** Manufacture of rubber products

**Uses advised against:** No further relevant information available.

### 1.3 Details of the supplier of the safety data sheet

#### Manufacturer/Supplier:

Gujarat Fluorochemicals Limited  
12/A Dahej, GIDC, Industrial Estate  
Dahej, Gujarat 392130, India  
Telephone : +91-2641-618031(Admin)/ 618086-87(Security)  
Email : contact@gfl.co.in

### 1.4 Emergency telephone number:

Emergency Telephone Number: +91-2643-618081 (SHE) / 618086-87(Security)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

**Classification according to Regulation (EC) No 1272/2008 with its amendment Regulation (EU) 2020/878**

Eye Irrit. 2            H319 Causes serious eye irritation.  
Repr. 1B              H360 May damage fertility or the unborn child. Route of exposure: Oral.  
Aquatic Chronic 3    H412 Harmful to aquatic life with long lasting effects.

### 2.2 Label elements

**Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

#### Hazard pictograms



GHS07    GHS08

**Signal word** Danger

#### Hazard-determining components of labelling:

4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol  
Benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

#### Hazard statements

H319 Causes serious eye irritation.  
H360 May damage fertility or the unborn child. Route of exposure: Oral.  
H412 Harmful to aquatic life with long lasting effects.

#### Precautionary statements

P264                    Wash thoroughly after handling.  
P273                    Avoid release to the environment.  
P280                    Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.  
P305+P351+P338    IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308+P313            IF exposed or concerned: Get medical advice/attention.  
P337+P313            If eye irritation persists: Get medical advice/attention.  
P405                    Store locked up.

(Contd. on page 2)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 17.05.2023

Version No: 1.00

Revision: 17.05.2023

**Product name: Fluonox<sup>®</sup> Cure Incorporated Copolymer - V**

(Contd. of page 1)

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**Additional information:**

Restricted to professional users.

**2.3 Other hazards****Results of PBT and vPvB assessment****PBT:** Not determined.**vPvB:** Not determined.**Determination of endocrine-disrupting properties**

CAS: 1478-61-1 | 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol

List III

**SECTION 3: Composition/information on ingredients****3.2 Mixtures****Description:**

|                           |   |         |
|---------------------------|---|---------|
| CAS: 9011-17-0<br>Polymer | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | > 96.5% |
|---------------------------|---|---------|

**Dangerous components:**

|   |   |        |
|---|---|--------|
| CAS: 1478-61-1<br>EC number: 216-036-7<br>Reg.nr.: 01-2120762844-45-XXXX  | 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol<br>Repr. 1B, H360; STOT RE 2, H373; Eye Dam. 1, H318;<br>Aquatic Chronic 1, H410   | < 2.2% |
| CAS: 75768-65-9<br>EC number: 278-305-5<br>Reg.nr.: 01-2120769707-38-XXXX | Benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)<br>Repr. 1B, H360; STOT RE 2, H373; Aquatic Acute 1, H400;<br>Aquatic Chronic 1, H410 | < 1.2% |

**Additional information:** For the wording of the listed hazard phrases refer to section 16.**SECTION 4: First aid measures****4.1 Description of first aid measures****General information:**

Take affected persons out of danger area and lay down.

In case of irregular breathing or respiratory arrest provide artificial respiration.

**After inhalation:**

Supply fresh air.

Take affected persons into fresh air and keep quiet.

**After skin contact:**

Do not pull solidified product off the skin.

Immediately wash with water and soap and rinse thoroughly.

After contact with the molten product, cool rapidly with cold water.

Seek immediate medical advice.

Do not use solvents.

**After eye contact:**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Seek medical treatment.

**After swallowing:** Rinse out mouth and then drink plenty of water.**4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

(Contd. on page 3)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 17.05.2023

Version No: 1.00

Revision: 17.05.2023

**Product name: Fluonox<sup>®</sup> Cure Incorporated Copolymer - V**

(Contd. of page 2)

**4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

##### Suitable extinguishing agents:

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.  
Use fire extinguishing methods suitable to surrounding conditions.

**For safety reasons unsuitable extinguishing agents:** Water with full jet

#### 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

In case of fire, the following can be released:

Carbon monoxide

Carbon dioxide

Hydrogen fluoride (HF)

#### 5.3 Advice for firefighters

##### Protective equipment:

Wear self-contained respiratory protective device.

Wear neoprene gloves during cleaning up work after a fire.

##### Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Wear protective clothing.

Avoid formation of dust.

Keep away from ignition sources.

**6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

#### 6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Dispose of the material collected according to regulations.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Prevent formation of dust.

Any unavoidable deposit of dust must be regularly removed.

Ensure good ventilation/exhaustion at the workplace.

##### Information about fire and explosion protection:

Dust can combine with air to form an explosive mixture.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

#### 7.2 Conditions for safe storage, including any incompatibilities

##### Storage:

**Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.

**Information about storage in one common storage facility:** Store away from oxidising agents.

**Further information about storage conditions:** Store in cool, dry conditions in well sealed receptacles.

(Contd. on page 4)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 17.05.2023

Version No: 1.00

Revision: 17.05.2023

**Product name: Fluonox<sup>®</sup> Cure Incorporated Copolymer - V****7.3 Specific end use(s)** No further relevant information available.

(Contd. of page 3)

## SECTION 8: Exposure controls/personal protection

**8.1 Control parameters****Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

| <b>DNELs</b>   |                     |   |
|--|---------------------|---|
| <b>CAS: 1478-61-1 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol</b>   |                     |   |
| Oral   | DNEL(long/systemic) | 0.017 mg/kg bw/day (Consumer)   |
| Dermal   | DNEL(long/systemic) | 0.017 mg/kg bw/day (Consumer)<br>0.033 mg/kg bw/day (Workers (Industrial/Professional))           |
| Inhalative   | DNEL(long/systemic) | 0.029 mg/m <sup>3</sup> (Consumer)<br>0.118 mg/m <sup>3</sup> (Workers (Industrial/Professional)) |
| <b>CAS: 75768-65-9 Benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)</b> |                     |   |
| Dermal   | DNEL(long/systemic) | 0.1 mg/kg bw/day (Workers (Industrial/Professional))  |
| Inhalative   | DNEL(long/systemic) | 0.72 mg/m <sup>3</sup> (Workers (Industrial/Professional))  |
| <b>PNECs</b>   |                     |   |
| <b>CAS: 1478-61-1 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol</b>   |                     |   |
| PNEC(aqua)   |                     | 0.0052 mg/L (freshwater)<br>0.000522 mg/L (marine water)  |
| PNEC(STP)  |                     | 4.787 mg/L (sewage treatment plant)   |
| PNEC(sediment)   |                     | 1.21 mg/kg sedi. dw (freshwater)<br>0.121 mg/kg sedi. dw (marine water)                           |
| PNEC(soil)   |                     | 0.239 mg/kg soil ww (soil)  |
| <b>CAS: 75768-65-9 Benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)</b> |                     |   |
| PNEC(aqua)   |                     | 0 mg/L (freshwater)<br>0 mg/L (marine water)  |
| PNEC(STP)  |                     | 10 mg/L (sewage treatment plant)  |
| PNEC(sediment)   |                     | 0.328 mg/kg sedi. dw (freshwater)<br>0.033 mg/kg sedi. dw (marine water)                          |
| PNEC(soil)   |                     | 0.065 mg/kg soil ww (soil)  |

**8.2 Exposure controls****Appropriate engineering controls** No further data; see item 7.**Individual protection measures, such as personal protective equipment****General protective and hygienic measures:**

Do not eat, drink, smoke or sniff while working.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Store protective clothing separately.

Avoid contact with the eyes and skin.

The usual precautionary measures are to be adhered to when handling chemicals.

**Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 5)

IE

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 17.05.2023

Version No: 1.00

Revision: 17.05.2023

**Product name: Fluonox<sup>®</sup> Cure Incorporated Copolymer - V**

(Contd. of page 4)

**Hand protection**



Protective gloves

Only use chemical-protective gloves with CE-labelling of category III.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

**Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Eye/face protection**



Safety glasses

**Body protection:**



Protective work clothing



Boots

**Environmental exposure controls** No further relevant information available.

**SECTION 9: Physical and chemical properties**

**9.1 Information on basic physical and chemical properties**

**General Information**

|   |                 |
|---|-----------------|
| <b>Physical state</b>   | Solid           |
| <b>Form:</b>  | Solid           |
| <b>Colour:</b>  | White           |
| <b>Odour:</b>   | Characteristic  |
| <b>Odour threshold:</b>   | Not determined. |
| <b>Melting point/freezing point:</b>                            | Not determined. |
| <b>Boiling point or initial boiling point and boiling range</b> | Not applicable. |
| <b>Flammability</b>   | Not determined. |
| <b>Lower and upper explosion limit</b>                          |                 |
| <b>Lower:</b>   | Not applicable. |
| <b>Upper:</b>   | Not applicable. |
| <b>Flash point:</b>   | Not applicable. |
| <b>Ignition temperature:</b>                                    | Not determined. |
| <b>Decomposition temperature:</b>                               | Not determined. |
| <b>pH</b>   | Not applicable. |
| <b>Viscosity:</b>   |                 |
| <b>Kinematic viscosity</b>                                      | Not applicable. |

(Contd. on page 6)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 17.05.2023

Version No: 1.00

Revision: 17.05.2023

**Product name: Fluonox® Cure Incorporated Copolymer - V**

(Contd. of page 5)

**Dynamic:** Not applicable.**Solubility****water:**

Insoluble.

**Partition coefficient n-octanol/water (log value)**

|            |   |                                     |
|------------|---|-------------------------------------|
| 1478-61-1  | 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol  | 2,79 log Pow (20 °C, EU Method A.8) |
| 75768-65-9 | Benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1) | 2,28 log Pow (20 °C, HPLC)          |

**Vapour pressure:**

Not applicable.

**Density and/or relative density****Density:**

Not determined.

**Relative density**

Not determined.

**Vapour density**

Not applicable.

**Relative gas density**

Not applicable.

**Particle characteristics**

See item 3.

**9.2 Other information****Explosive properties:**

Product does not present an explosion hazard.

**Oxidising properties**

No

**Evaporation rate**

Not applicable.

**SECTION 10: Stability and reactivity****10.1 Reactivity** No further relevant information available.**10.2 Chemical stability** No decomposition if used and stored according to specifications.**Thermal decomposition / conditions to be avoided:**

No decomposition if used according to specifications.

**10.3 Possibility of hazardous reactions** No dangerous reactions known.**10.4 Conditions to avoid** No further relevant information available.**10.5 Incompatible materials:** No further relevant information available.**10.6 Hazardous decomposition products:** No dangerous decomposition products known.**SECTION 11: Toxicological information****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute toxicity** Based on available data, the classification criteria are not met.**LD/LC50 values relevant for classification:****CAS: 1478-61-1 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol**

Oral LD50 &gt; 2000 mg/kg (Rat) (OECD Guideline 423)

Dermal LD50 &gt; 2000 mg/kg (Rat) (OECD Guideline 402)

**CAS: 75768-65-9 Benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)**

Oral LD50 &gt; 2000 mg/kg (Rat) (OECD Guideline 425)

**Skin corrosion/irritation** Based on available data, the classification criteria are not met.**Serious eye damage/irritation**

Causes serious eye irritation.

**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.**Germ cell mutagenicity** Based on available data, the classification criteria are not met.**Carcinogenicity** Based on available data, the classification criteria are not met.**Reproductive toxicity**

May damage fertility or the unborn child. Route of exposure: Oral.

**STOT-single exposure** Based on available data, the classification criteria are not met.**STOT-repeated exposure** Based on available data, the classification criteria are not met.

(Contd. on page 7)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 17.05.2023

Version No: 1.00

Revision: 17.05.2023

**Product name: Fluonox® Cure Incorporated Copolymer - V**

(Contd. of page 6)

**Aspiration hazard** Based on available data, the classification criteria are not met.**11.2 Information on other hazards****Endocrine disrupting properties**

CAS: 1478-61-1 | 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol

List III

**SECTION 12: Ecological information****12.1 Toxicity****Aquatic toxicity:****CAS: 1478-61-1 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol**

|                     |  |
|---------------------|--|
| EC50 (48h) (static) | 2.7 mg/L (Daphnia) (OECD Guideline 202, Daphnia magna)<br>2.5 mg/L (Fish) (ISO 15088, Danio rerio) |
| EC50 (3h) (static)  | 126.8 mg/L (Bacteria) (OECD Guideline 209, activated sludge)<br>nominal                            |
| EC50 (72h) (static) | > 0.808 mg/L (Algae) (OECD Guideline 201, Pseudokirchneriella subcapitata)                         |
| NOEC (21d) (static) | 0.23 mg/L (Daphnia) (OECD Guideline 211, Daphnia magna)<br>semi-static                             |
| NOEC (static)       | > 0.125 mg/L (Fish) (OECD 234; Danio rerio)<br>semi-static, 120d                                   |

**CAS: 75768-65-9 Benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)**

|                      |  |
|----------------------|--|
| LC50 (48h) (static)  | 0.79 mg/L (Daphnia) (OECD Guideline 202, Daphnia magna)                  |
| LC50 (96h) (static)  | 1.2 mg/L (Fish) (OECD Guideline 203, Pimephales promelas)<br>nominal     |
| ErC50 (72h) (static) | 0.45 mg/L (Algae) (OECD Guideline 201, Pseudokirchneriella subcapitata)  |
| EC50 (72h) (static)  | 0.087 mg/L (Algae) (OECD Guideline 201, Pseudokirchneriella subcapitata) |

**12.2 Persistence and degradability**

|            |   |                                  |
|------------|---|----------------------------------|
| 1478-61-1  | 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol  | 0 % (28 d, OECD Guideline 301 B) |
| 75768-65-9 | Benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1) | 0 % (28 d, OECD Guideline 301 B) |

**12.3 Bioaccumulative potential**

|           |  |                                    |
|-----------|--|------------------------------------|
| 1478-61-1 | 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol | 5,2 - 9,8 BCF (OECD Guideline 305) |
|-----------|--|------------------------------------|

**12.4 Mobility in soil**

|            |   |   |
|------------|---|---|
| 1478-61-1  | 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol  | 3,36 log Koc (25 °C, pH 6,88, EU Method C.19)   |
| 75768-65-9 | Benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1) | 3,86 - 5,63 log Koc (20 °C, OECD Guideline 121) |

**12.5 Results of PBT and vPvB assessment**

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

**12.6 Endocrine disrupting properties** For information on endocrine disrupting properties see section 11.**12.7 Other adverse effects** No further relevant information available.

(Contd. on page 8)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 17.05.2023

Version No: 1.00

Revision: 17.05.2023

**Product name: Fluonox® Cure Incorporated Copolymer - V**

(Contd. of page 7)

### SECTION 13: Disposal considerations

**13.1 Waste treatment methods****Recommendation:** Must be specially treated adhering to official regulations.**Uncleaned packaging****Recommendation:** Disposal must be made according to official regulations.

### SECTION 14: Transport information

**14.1 UN number or ID number****ADR/RID/ADN, IMDG, IATA** Void**14.2 UN proper shipping name****ADR/RID/ADN, IMDG, IATA** Void**14.3 Transport hazard class(es)****ADR/RID/ADN, IMDG, IATA****Class** Void**14.4 Packing group****ADR/RID/ADN, IMDG, IATA** Void**14.5 Environmental hazards:** Not applicable.**14.6 Special precautions for user** Not applicable.**14.7 Maritime transport in bulk according to IMO instruments** Not applicable.**Transport/Additional information:** Not dangerous according to the above specifications.**UN "Model Regulation":** Void

### SECTION 15: Regulatory information

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****Directive 2012/18/EU****Named dangerous substances - ANNEX I** None of the ingredients is listed.**DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

**REGULATION (EU) 2019/1148****Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

**Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

**Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

**Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

**Chemical Inventories:**

EU - EINECS

Canada - DSL

China - IECSC

Korea - ECL

(Contd. on page 9)



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date: 17.05.2023

Version No: 1.00

Revision: 17.05.2023

**Product name: Fluonox<sup>®</sup> Cure Incorporated Copolymer - V**

(Contd. of page 8)

New Zealand - NZIoC  
Philippines - PICCS  
Taiwan - TCSI  
Thailand - TECI  
USA - TSCA

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H318 Causes serious eye damage.  
H360 May damage fertility or the unborn child.  
H373 May cause damage to organs through prolonged or repeated exposure.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.

**Date of previous version:** 07.03.2023

#### Abbreviations and acronyms:

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals  
MARPOL: (from Marine Pollutant) International Convention for the Prevention of Marine Pollution from Ships  
IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk  
UN: United Nations (also UNO: United Nations Organization)  
NOEC: No Observed Effect Concentration  
OECD: Organisation for Economic Co-operation and Development  
ASTM: American Society for Testing and Materials  
WAF: Water Accommodated Fraction  
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
DNEL: Derived No-Effect Level (REACH)  
PNEC: Predicted No-Effect Concentration (REACH)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2  
Repr. 1B: Reproductive toxicity – Category 1B  
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2  
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1  
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1  
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3